

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EM-1505（4+3+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.07.30	DRAWING NO: / REV. A

SHINHOM













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EM-15H（4+2+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.07.30	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EM-18H（5+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.07.30	DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE(2+2pins)	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-12pin	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE018 SMD	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: DAP9100	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE019 SMD	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: DAP9100	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05.15	DRAWING NO: / REV. A









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE27*19*11 （5+5）pin
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2015.05.15	DRAWING NO:	REV. A









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: T25*15*11 BASE 4P	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE47-6pin	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-04(4+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2018.05	DRAWING NO:	REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-056 SQ-15 (2+2) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-05 (2+2) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2018.05	DRAWING NO:	REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: T22*14*8 BASE 4P	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: T22*14*8 BASE 4P
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2015.05.15	DRAWING NO:	REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-06 工字 8*10(1+1) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: T25*15*13 CROVER	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A







SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-07 工字 12*14 (1+1) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05	DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE1001-4pin
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2015.05.15	DRAWING NO:	REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE1002-6pin
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
				DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: T25*15*11 BASE 4P	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT4830	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A











DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-1501 SQ-15 (2+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05	DRAWING NO: / REV. A

SHINHOM











SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-1810 10*10 (2+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05	DRAWING NO: / REV. A





SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-1901 (2+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-2017 (2+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE-2301(2+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: BASE K156-6pin	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM SHINHOM SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-0804 H (3+3) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15	DRAWING NO: / REV. A





SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-10H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-10H(4+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2014.03.28	DRAWING NO:	REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-10/7H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-13H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-13H(4+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-13H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-13H(5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15 / DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-13H(4+2+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.01.01	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-13H(5+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-13H(5+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A





SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(3+3) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.03.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15	DRAWING NO: REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+2) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(4+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.03.28	DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.01.01	DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.01.01	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.01.01	DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+3) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.05.15	DRAWING NO: / REV. A









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(4+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2016.02.18	DRAWING NO:	REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-16H(5+3) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.02.18	DRAWING NO: / REV. A









SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-1636H(6+6) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2017.12.13	DRAWING NO:	REV. A













SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-1652H(5+2) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.01.01	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-19H(5+2) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.3.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-19H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-19H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-19H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A













SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-1916H(5+2) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.01.15 / DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-19H(5+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.3.28	DRAWING NO: / REV. A















SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-19H(4SEC5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A

SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-19H(4SEC6+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.01.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-22 H (4+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.05	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-22H(4+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15 / DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-22H(5+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-25H(4+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-25H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-25H(5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2014.03.28	DRAWING NO:	REV. A





SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-25H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-30H(5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A













SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-30H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A













DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-32H(6+6) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2014.03.28	DRAWING NO:	REV. A

SHINHOM









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-33H(7+7) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A















SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-35H(2SEC5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A













DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-36H(8+8) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A

SHINHOM SHINHOM SHINHOM



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-40 H (6+6) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2014.03.28	DRAWING NO:	REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-40 H (7+7) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-41H(6+6) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2014.03.28	DRAWING NO:	REV. A









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-42H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: REV. A



SHINHOM SHINHOM SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-42/15H(8+8) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-42/20 H(8+8) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A









SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-42/20 H(8+9) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-55/20 H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-55H(7+7) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-55H(11+11) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-55H(10+10) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A





SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-6501 H(8+8) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-70 H(9+9) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-70 without PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-70 without PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: BLACK PET	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EEL-16H(5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EEL-16V(4+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EEL-19V(4+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A

SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EEL-22V(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EEL-22H(6+6) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EEL-25H(4+6) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT / UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EEL-25H(7+7) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-10(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A











SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-12.5H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-14H(5+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A





SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-15H(4+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A









SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-15H(4SEC5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-15H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-15H(5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2015.05.15	DRAWING NO:	REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-15H(4+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2018.01	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-15H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A











SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-15H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-16H(5+4) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20H(4+4) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A











SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A













SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20SMD(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A













DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1º	MODEL NAME: EFD-20SMD(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A

SHINHOM



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20SMD(5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15 / DRAWING NO: / REV. A

SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20H(7+3) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20H(7+3) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15 / DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-20H(2SEC4+4)PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2016.02.18 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A













DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A

SHINHOM SHINHOM SHINHOM













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(5+7) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A











SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25SMD(6+6) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(5+5) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2014.03.28	DRAWING NO:	REV. A













SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H (7+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-25H(5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-30H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A



SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-30H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2012.07.31	DRAWING NO: / REV. A











SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-30H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2014.03.28	DRAWING NO: / REV. A





SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-30H(7+7) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2014.03.28	DRAWING NO:	REV. A













SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-30H(6+6) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-40H(9+7) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-40H(2SEC9+7) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 SHINHOM Email: sales@shinhom.com.cn				SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-50H(9+7) PIN
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC / UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE / PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15 / DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EFD-50H(2SEC9+7) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PHENOLIC	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2015.05.15	DRAWING NO: / REV. A









SHINHOM
SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EE-30H (5+5) PIN	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PET/PA66	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2009.05.15	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-30/10.5
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT / UL REC: UL 94V-0

SHAANXI SHINHOM ENTERPRISE CO.,LTD
TEL: 029-87851838 FAX:029-87851840
Email: sales@shinhom.com.cn
SHINHOM

SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN	
	DATE: 2019.03.28	DRAWING NO:	REV. A

SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-30/10.5 cover	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: nylon	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2019.03.28	DRAWING NO: / REV. A



SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-30/12.5	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2019.03.28	DRAWING NO: / REV. A

SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-30/10.5 cover	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: nylon	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2019.03.28	DRAWING NO: / REV. A

SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-42/14.8	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: PBT	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2019.03.28	DRAWING NO: / REV. A

SHINHOM
SHINHOM
SHINHOM

DRAFTED BY	TianXipeng	TOLERANCE		ANGLR: ±1°	MODEL NAME: EI-42/14.8 cover	
CHECKED BY	Jack Wang	0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63 ±0.3	Pin pitch ±0.20	UNIT:MM	MATERIAL: nylon	UL REC: UL 94V-0
SHINHOM	SHAANXI SHINHOM ENTERPRISE CO.,LTD TEL: 029-87851838 FAX:029-87851840 Email: sales@shinhom.com.cn			SCALE: 1/1	TERMINAL MAT:CP WIRE	PIN TENSION LOAD: 1.0 KGS MIN
					DATE: 2019.03.28	DRAWING NO: / REV. A